



DumpTorrent

[HOME](#)
[CERTIFICATIONS](#)
[ABOUT](#)
[HOW TO PAY?](#)
[GUARANTEE](#)
[FAQ](#)

TRY BEFORE YOU BUY

Download a free sample of any of our exam questions and answers

- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.

[HOME](#)
[CERTIFICATIONS](#)
[ABOUT](#)
[HOW TO PAY?](#)
[GUARANTEE](#)

TRY BEFORE YOU BUY

Download a free sample of any of our exam questions and answers

- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.

Why Choose Us

Testscram provides latest and valid test questions and dumps which help people pass exam at first attempt. We serve every customer at our best and guarantee 100% pass with exam.

[Learn More About Real Exams](#)



QUALITY AND VALUE

ExamsTorrent Practice Exams are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development - no all vce.



TESTED AND APPROVED

We are committed to the process of vendor and third party approvals. We believe professionals and executives alike deserve the confidence of quality coverage these authorizations provide.



EASY TO PASS

If you prepare for the exams using our ExamsTorrent testing engine, It is easy to succeed for all certifications in the first attempt. You don't have to deal with all dumps or any free torrent / rapidshare all stuff.



TRY BEFORE BUY

ExamsTorrent offers free demo of each product. You can check out the interface, question quality and usability of our practice exams before you decide to buy.

<http://www.dumptorrent.com>

High-quality Exam Torrent & Valid Test Dumps & Reliable Guide Torrent

Exam : 000-927

Title : IBM Tivoli Netcool/Proviso V4.4.1
Administration

Vendors : IBM

Version : DEMO

1. Click the Exhibit button.

What is the number of total actual metric responses coming back as a result of the SNMP queries in the last hour?

```
# statGet -l stats -o Targets
Targets:_Total:Average SNMP Response Time (ms) [last hour]:30.12426326
Targets:_Total:CALC Errors (Nb) [last hour]:27
Targets:_Total:CPU Load (Nb OIDs) [last hour]:3780.3
Targets:_Total:Discovery Received PDU (Nb) [last hour]: -
Targets:_Total:Discovery Received PDU Max Size (bytes) [last hour]: -
Targets:_Total:Discovery Received PDU Total Size (bytes) [last hour]: -
Targets:_Total:Discovery Sent PDU (Nb) [last hour]: -
Targets:_Total:Discovery Sent PDU Max Size (bytes) [last hour]: -
Targets:_Total:Discovery Sent PDU Total Size (bytes) [last hour]: -
Targets:_Total:Expected Measures (Nb) [last hour]:61477
Targets:_Total:Max SNMP Response Time (ms) [last hour]:7277
Targets:_Total:OID Rate (Nb/s) [last hour]:105.00833333
Targets:_Total:Produced Measures (Nb) [last hour]:3272
Targets:_Total:Received PDU (Nb) [last hour]:3054
Targets:_Total:Received PDU Max Size (bytes) [last hour]:915
Targets:_Total:Received PDU Total Size (bytes) [last hour]:1024697
Targets:_Total:SNMP Availability (%) [last hour]:100
Targets:_Total:SNMP Errors (Nb) [last hour]:1153
Targets:_Total:SNMP Requests (Nb) [last hour]:1058
Targets:_Total:Sent PDU (Nb) [last hour]:2765
Targets:_Total:Sent PDU Max Size (bytes) [last hour]:714
Targets:_Total:Sent PDU Total Size (bytes) [last hour]:781656
```

- A. 2765
- B. 3054
- C. 3272
- D. 61477

Answer: C

2. There have been a few issues when running the network discovery during the inventory process. The collector is running properly, but the discovery portion seems to stop before finishing properly. What would be the next step to diagnose the problem?

- A. Restart the SNMP collector.
- B. Check the TraceInventory.log file for messages.
- C. Use the dccmd tool to check the status of the DataChannel.
- D. Check the proviso.log for messages pertaining to the service DISC.

Answer: D

3. What is the name of the SilverStream log file?

- A. Silver.log
- B. catalina.out
- C. agserver.log
- D. SilverServerConsole.log

Answer: D

4. Click the Exhibit button.

What is Generic~Agent in the exhibit?

1213_Device	Generic~Agent	1.3.6.1	NULL
<*> AP~1213_Device	<*>		
1213_Device	Generic~Agent	1.3.6.1.4.1.9	NULL
<*> AP~Cisco~Cisco_Device	<*>		
1213_Device	Generic~Agent	1.3.6.1.4.1.9	NULL
<*> AP~Cisco~Cisco_SAA_Support	<*>		
IETF_IF	Generic~Agent	1.3.6.1	NULL
<*> AP~IETF_IF	<*>		
IETF_IF	Generic~Agent	1.3.6.1.4.1.5567	NULL
<*> AP~Riverstone_IF	<*>		
1315_FR_DLC_SNMP-CIR	Generic~Agent	1.3.6.1	AP~1315_FR_DLC_Match
<*> AP~1315_FR_DLC_SNMP-CIR	<*>		
1315_FR_DLC_noSNMP-CIR	Generic~Agent	1.3.6.1	AP~1315_FR_DLC_Match
<*> AP~1315_FR_DLC_noSNMP-CIR	<*>		

- A. An element property
- B. A subelement family
- C. A subelement property
- D. An element family name

Answer: D

5. Part of a formula is:

Dim I1 AS Integer Default * NAME Interface

You want to test the formula using the Formula Editor GUI and you want to test only instances 2 through 4.

What would you enter in the instance field?

- A. I1<1,2,3>
- B. Interface<1-3>
- C. Interface<2-4>
- D. You cannot specify multiple instances.

Answer: C

6. Which three DataView reports support the use of subelement properties? (Choose three.)

- A. Ratio Chart
- B. Detail Chart
- C. Group Summary Table
- D. Resource Planning Table
- E. Resource Summary Table
- F. DataView Analysis Report

Answer: BDE

7. When a discovery formula is tested, which part of the result line must be unique?

- A. label
- B. dbIndex
- C. invariant
- D. properties

Answer: C

8. What is dbMgr purgePartitions used for?

- A. Delete unwanted Proviso metadata partitions older than a certain number of days.
- B. Delete unwanted Proviso metric data partitions older than a certain number of days.
- C. Delete only NRAW Proviso metric data partitions older than a certain number of days.
- D. Delete unwanted Proviso metadata and metric data partitions older than a certain number of days.

Answer: B

9. You have just installed Proviso, and you are in the process of creating a DataView user. Assuming the SilverStream database instance name is PV, which steps create a DataView user?

- A. On the DataMart server, run `cd ~/datamart/bin`, and then run `./smc`.
- B. Download `smc` from the SilverStream server, and run the `smc.exe` command from a Windows workstation.
- C. On the DataMart server, run `cd ~/datamart/bin`, and then run `./SilverJRunner hostname:8080 PV DVUserEditor`.
- D. Download the SilverJRunner client from the SilverStream server, and run the `SilverJRunner.exe hostname:8080 PV DVUserEditor` command from a Windows workstation.

Answer: D

10. Which resmgr object type can be used to obtain all of the metric IDs used in a report?

- A. app
- B. agp
- C. appS
- D. LinkGroupAPP

Answer: A

11. There are two DataChannels installed on one machine.

The configuration is:

DataChannel 1 is collecting from two SNMP DataLoads.

DataChannel 2 is collecting from two bulk collectors and one UBA collector.

If the command `findvisual` is run, how many visual processes should be running, excluding the administrative processes?

- A. five FTE, five CME, two LDR, two DLDR

- B. five FTE, five CME, five LDR, five DLDR
- C. one UBA, two BCOL, five FTE, five CME, two LDR, two DLDR
- D. one UBA, two BCOL, two SNMP, five FTE, five CME, two LDR, two DLDR

Answer: C

12. What is the default behavior for a new SilverStream user that you have just created?

- A. No reporting group is assigned by default.
- B. The top group for the current project is assigned.
- C. The NOC Reporting group is assigned by default.
- D. The user is assigned the same reporting group as other users within the same SilverStream group.

Answer: A

13. ProvisoInfo Browser provides a Database Status tab. What would you expect to see within the tab if the database status is critical?

- A. "The database status is Critical" message
- B. A list of all the table spaces within Proviso
- C. A list of all the files that need extending because of critical status
- D. A list of all the table spaces that have critical utilization within Proviso

Answer: D

14. Given a Proviso solution with multiple DataChannel hosts, where would the proviso.log file be produced?

- A. A single log file would be produced by the DataMart host.
- B. A separate log file would be produced by each DataChannel host.
- C. A single log file would be produced by the Channel Manager host.
- D. All log messages are sent to the syslog daemon, which produces a single log file.

Answer: C

15. You have been asked to produce a report that will highlight any device whose availability is less than 100% for more than 1 hour (cumulative) in a single day. Which of the following parameter sets is the most appropriate for the associated period threshold?

- A. The threshold mode should be over, the warning level and critical level should be set to 100, and the warning time and critical time should be set to 1h.
- B. The threshold mode should be under, the warning level and critical level should be set to 100, and the warning time and critical time should be set to 1h.
- C. The threshold mode should be over, the warning level and time should be left blank, the critical level should be set to 100, and the critical time should be set to 1h.
- D. The threshold mode should be under, the warning level and time should be left blank, the critical level

should be set to 100, and the critical time should be set to 1h.

Answer: D

16. An issue has been identified with a Complex Metric Engine (CME) formula that is causing the CME to fail. The CME has several days of outstanding data to process. The offending formula has been corrected, but the CME is still failing. What should be done?

- A. Deactivate the collection request for this formula.
- B. Restart the CME to force it to resynchronize with the database.
- C. Delete any files in the CME state directory and restart the CME.
- D. Apply the corrected formula to the historical version of the formula using resmgr and the frmH entity.

Answer: D


17. Click the Exhibit button.

Proviso has just been installed by user pvuser with group pvgroup. The administrator had created UNIX users with the following command:

```
useradd -g staff -m -d /export/home/user1 -k /etc/skel -s /bin/ksh user1
useradd -g staff -m -d /export/home/user2 -k /etc/skel -s /bin/ksh user2
useradd -g pvgroup -m -d /export/home/user3 -k /etc/skel -s /bin/ksh user3
```

The permissions were assigned through the DataMart GUI in the exhibit.

What additional steps should be carried out so that user1, user2, and user3 can have complete access to the DataMart GUI - Users Configuration?



- A. Assign user2 to group1.
- B. Change UNIX group of user1 and user2 to pvgroup, and assign user2 to group1.
- C. Create a new group group2 with read and write permission to DataMart GUI - Users Configuration, and assign user1, user2, and user3 to group2.
- D. Assuming ~/datamart is the datamart directory, change the ~/datamart/bin/userconf file permission to be executable by others through the UNIX command:

chmod o+x ~/datamart/bin/userconf

Answer: B

18. Which of the following sequences is the default operational processing logic of Proviso DataChannel components with no error conditions?

- A. The File Transfer Engine, Complex Metric Engine, Loader, and Daily Loader all pick up the files every minute.
- B. The File Transfer Engine picks up the files produced by the DataLoad Server every minute; the Complex Metric Engine and Loader, every hour; and the Daily Loader, once a day.
- C. The File Transfer Engine and Complex Metric Engine pick up the files produced by the DataLoad Server every minute; the Loader, once an hour; and the Daily Loader, once a day.
- D. The File Transfer Engine picks up the the files produced by the DataLoad Server every minute, while the Complex Metric Engine, Loader, and Daily Loader pick up the files once an hour.

Answer: C

19. You have been asked to produce a report that will immediately highlight as critical any device whose utilization exceeds 75%. Which of the following parameter sets is most appropriate?

A. The threshold mode should be over, the warning level and critical level should be set to 75, and the warning time and the critical time should be set to 0.

B. The threshold mode should be under, the warning level and critical level should be set to 75, and the warning time and the critical time should be set to 0.

C. The threshold mode should be over, the warning level should be left blank and critical level should be set to 75, the warning time should be left blank, and the critical time should be set to 0.

D. The threshold mode should be under, the warning level should be left blank and critical level should be set to 75, the warning time should be left blank, and the critical time should be set to 0.

Answer: C

20. On a UBA-based bulk collector, which Proviso applications should be running?

A. AMGR, UBA

B. AMGR, UBA, FTE

C. UBA, FTE, CMGR

D. CMGR, AMGR, UBA, FTE

Answer: A